

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 29.01.2015

Version 4

Revision: 28.02.2013

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Hostacom EKC 330N E1 C12370
- **Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information available.
- **Application of the substance / the preparation:** Synthetic resin
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Kunststoffwerk VOERDE Hueck & Schade GmbH & Co. KG, Jacobstraße 13-17, 58256 Ennepetal, Germany
- **Informing department:**  
Labor und Entwicklung  
Phone: +49 (0)2333 8300-160  
Fax.: +49 (0)2333 75196
- **Emergency information:** [info@kw-voerde.de](mailto:info@kw-voerde.de)

### 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
- **Information concerning particular hazards for human and environment:**  
The molten product adheres to the skin and causes burns.  
Spilled material may present a slipping hazard.  
Possible production of electrostatic charging when used.  
The working steams can irritate the eyes as well as the respiratory tract.
- **Classification system:**  
This product is, according to EEC directives 1999/45, 67/548, Regulation 1907/2006/EC, and following amendments, not classified as hazardous.
- **Label elements**
- **Labelling according to EU guidelines:**  
The material is not subject to classification according to EC lists and other sources of literature known to us.  
Observe the normal safety regulations when handling chemicals.
- **Other hazards**
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Polymer mixture containing mineral fillers
- **Dangerous components:** Void

### 4 First aid measures

- **Description of first aid measures**
- **General information:**  
At room temperature the product is neither an irritant nor gives off hazardous vapours.

(Contd. on page 2)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 29.01.2015

Version 4

Revision: 28.02.2013

**Trade name: Hostacom EKC 330N E1 C12370**

(Contd. of page 1)

The measures listed below apply to critical situations (Fire, incorrect process conditions).

**- After inhalation:**

In case of excessive inhalation of fumes move the person to fresh air. Call for medical help.

Keep person warm, if necessary give artificial respiration.

**- After skin contact:**

After contact with the molten product, cool rapidly with cold water.

Do not pull solidified product away from the skin.

Seek immediate medical advice.

**- After eye contact:** Rinse opened eye for several minutes under running water. Then consult doctor.**- After swallowing:**

No specific measures have to be taken if the product is swallowed.

Get medical advice if necessary.

**- Information for doctor****- Most important symptoms and effects, both acute and delayed:** No further relevant information available.**- Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Firefighting measures

**- Extinguishing media****- Suitable extinguishing agents:**

Water haze

Foam

Carbon dioxide

Chemical powder

**- For safety reasons unsuitable extinguishing agents:** None**- Special hazards arising from the substance or mixture:**

In case of fire it can release:

water (H<sub>2</sub>O), carbon dioxide (CO<sub>2</sub>), and when lacking oxygen (O<sub>2</sub>), carbon monoxide (CO).

The products of the burning are dangerous.

The formation of hydrocarbons and aldehydes are possible in the initial stages of a fire (especially in between 400°C and 700°C).

**- Advice for firefighters****- Protective equipment:** Put on breathing apparatus.**- Additional information:**

Polymer types containing mineral fillers have a lower tendency of dripping in case of fire.

Heat value: 8000 - 11000 kcal/kg

### 6 Accidental release measures

**- Personal precautions, protective equipment and emergency procedures:**

No specific measures are necessary.

See point 8

**- Environmental precautions:**

No special measures required.

See points 12 and 13.

**- Methods and material for containment and cleaning up:**

Small spills:

Put into a labelled container and provide safe disposal.

Large spills:

(Contd. on page 3)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 29.01.2015

Version 4

Revision: 28.02.2013

**Trade name: Hostacom EKC 330N E1 C12370**

(Contd. of page 2)

Act as during a limited release.

Recycle product or dispose properly.

See point 13

- **Reference to other sections:** Collect spilled polymer: It could cause falls (Danger of slipping).

### 7 Handling and storage

#### - Handling

##### - Precautions for safe handling:

No special requirements necessary, if handled at room temperature.

Avoid spilling the product, as this might cause falls.

When bringing the material to processing temperatures gases might develop, forming: hydrocarbon substances with low molecular weight and their oxidation products solvent residues

traces of formaldehyde and acrylaldehyde

traces of acids (Formic acid, acetic acid)

Provide appropriate ventilation for such processing conditions.

Experimental tests under different application conditions showed maximum limits of formaldehyde, acrylaldehyde, formic acid and acetic acid being significantly below TLV-values.

Pay particular attention when handling the molten material. Fillers tend to keep the material in compact form, thus releasing heat slower than regular resin. The thermal decomposition of the polymer might take a prolonged period of time, releasing hazardous decomposition products.

Do not exceed recommended working temperatures of coloured materials, as the colouring agents might develop decomposition products hazardous to health.

Take precautionary measures against explosion risks, as all types of polymers may develop dust during transporting or grinding of granules.

##### - Conditions for safe storage, including any incompatibilities

##### - Storage

##### - Requirements to be met by storerooms and containers:



Do not smoke!

Take precautionary measures to prevent the formation of static electricity.

Ground equipment electrically.

Electric safety equipment.

Open flames prohibited.

Store the product in bags, car silos, container, or large cartons.

##### - Information about storage in one common storage facility: Not required.

##### - Further information about storage conditions:

Protect from heat and direct sunlight.

Store container in a well ventilated position.

Store under dry conditions.

Do not stack up the octabins.

- **Specific end use(s):** For safe stacking follow the storage recommendations specific for this product.

GB

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 29.01.2015

Version 4

Revision: 28.02.2013

Trade name: Hostacom EKC 330N E1 C12370

(Contd. of page 3)

### \* 8 Exposure controls/personal protection

- Control parameters
- Components with limit values that require monitoring at the workplace

- Additional exposure limit values for possible processing dangers:

#### 107-02-8 acrylaldehyde

WEL () Short-term value: 0.7 mg/m<sup>3</sup>, 0.3 ppm  
Long-term value: 0.23 mg/m<sup>3</sup>, 0.1 ppm

#### 50-00-0 formaldehyde

WEL () Short-term value: 2.5 mg/m<sup>3</sup>, 2 ppm  
Long-term value: 2.5 mg/m<sup>3</sup>, 2 ppm

#### 64-18-6 formic acid

WEL () Long-term value: 9.6 mg/m<sup>3</sup>, 5 ppm

- Additional information: see point(s) 7, 9.

- Exposure controls

- Personal protective equipment

- General protective and hygienic measures:

Do not eat or drink while working.

No smoking.

Provide system for collecting the vapors which are created during the working process.

- Breathing equipment:

If appropriate ventilation is not available use face mask when handling the molten product.

- Protection of hands: Heat resistant gloves

- Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety goggles recommended during refilling.

- Body protection: Normal overalls

### \* 9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Granulate  
Colour: various colours  
- Odour: Odourless

- Change in condition

Melting point/Melting range: 130-164°C

- Flash point:

Not applicable (see attachment to guideline 92/69/EEC, A.9)

- Ignition temperature:

> 400°C

(Contd. on page 5)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 29.01.2015

Version 4

Revision: 28.02.2013

**Trade name: Hostacom EKC 330N E1 C12370**

(Contd. of page 4)

- |  |   |
|--|---|
| - <b>Decomposition temperature:</b>              | > 300°C   |
| - <b>Danger of explosion:</b>                    | Product is not explosive.<br>See point(s) 7.                                |
| - <b>Density:</b>                                | 0.95-1.35 g/cm <sup>3</sup>   |
| - <b>Solubility in / Miscibility with Water:</b> | Insoluble   |
| - <b>Other information:</b>                      | The polymer component is soluble in boiling, aromatic chlorinated solvents. |

### \* 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
The product is stable at normal handling- and storage conditions.  
Decomposes over 300 °C.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No special precautions necessary if used correctly.
- **Incompatible materials:** Strong oxidation agent.
- **Hazardous decomposition products:** No hazardous decomposition products known at room temperature.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
  - **on the skin:** No irritant effect.
  - **on the eye:** No irritant effect.
- **Sensitization:** No sensitizing effect known.
- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Other information:** The product is not biodegradable.
- **Behaviour in environmental systems**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information**
- **General notes:** The product is not toxic, small particles can have physical effects on water and soil organisms.
- **Results of PBT and vPvB assessment:**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

(Contd. on page 6)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 29.01.2015

Version 4

Revision: 28.02.2013

**Trade name: Hostacom EKC 330N E1 C12370**

- **Other adverse effects:** No further relevant information available.

(Contd. of page 5)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Disposal on authorised waste dump.
- **European waste catalogue:** 070213
- **Unclean packaging**
- **Recommendation:** Disposal must be done according to official regulations.

### 14 Transport information

- |  |   |
|--|---|
| - <b>UN-Number</b><br>- <b>ADR, ADN, IMDG, IATA</b>                                    | Void  |
| - <b>UN proper shipping name</b><br>- <b>ADR, ADN, IMDG, IATA</b>                      | Void  |
| - <b>Transport hazard class(es)</b><br>- <b>ADR, ADN, IMDG, IATA</b><br>- <b>Class</b> | Void  |
| - <b>Packing group</b><br>- <b>ADR, IMDG, IATA</b>                                     | Void  |
| - <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>      | Not applicable.   |
| - <b>Transport/Additional information:</b>   | According to national and international guidelines, which regulate the road-, rail-, air- and sea transport, this product is classified as not dangerous. |

### 15 Regulatory information

- **Safety, health and environmental regulations / legislation specific for the substance or mixture**
- **Designation according to EC guidelines:**  
The material is not subject to classification according to EC lists and other sources of literature known to us.  
Observe the normal safety regulations when handling chemicals.
- **National regulations**
- **Other regulations, limitations and prohibitive regulations:**  
Generally all national regulations regarding this product type apply.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 29.01.2015

Version 4

Revision: 28.02.2013

**Trade name: Hostacom EKC 330N E1 C12370**

(Contd. of page 6)

The information supplied has been based upon the current level of information available, for the purpose of specifying the requirements regarding environment, health and safety in conjunction with the product. They are not to be interpreted as a warranty for specific product characteristics. Kunststoffwerk VOERDE takes no responsibility for inappropriate use, processing and handling by purchasers and users of the product.

**- Department issuing data specification sheet:**

Labor und Entwicklung

Kunststoffwerk VOERDE Hueck &amp; Schade GmbH &amp; Co. KG, Jacobstraße 13-17, 58256 Ennepetal, Germany

**- Contact:** Labor und Entwicklung**- Bibliography:**

- Directive EEC 67/548 and following adaptations

- Directive 1999/45/EC, as amended  
1907/2006/EC

- Directive 2001/58/EC (repealed by (EC) 1907/2006)

- RTECS (Registry of toxic effects of chemical substances 1985-1986 edition)

- Frostling, Hof, Jacobson, Pfaffli, Zitting, "Thermal decomposition products from plastics", 2-Polypropylene and polyvinyl chloride, 1983

- EINECS/ELINCS (REACH)

- \* **Data compared to the previous version altered:** REACH version

GB